



ATMP1



PRICE LIST




AGGREGATE STRIP TILL			
WORKING WIDTH / MODULES	SPACING	POWER DEMAND (KM)	PRICE (EURO)
3 m - 4 modules	75 cm	90 KM	9 500
3 m - 6 modules	45 cm	115 KM	12 140
3 m - 9 modules	34 cm	130 KM	16 430
4,5 m - 6 modules	75 cm	150-270 KM	21 190
4,5 m - 10 modules	45 cm	150-270 KM	26 900
4,5 m - 11 modules	37,5 cm	190-300 KM	28 300
6 m - 8 modules	75 cm	190-300 KM	24 520
6 m - 12 modules	45 cm	190-300 KM	30 950
6 m - 15 modules	37,5 cm	190-300 KM	34 520
		ADDITIONAL MODULE	1 430
		ADDITIONAL EQUIPMENT	FERTILIZER

MODEL	MACHINE	SPECIFICATION	PRICE EURO
DRAG HARROW			
WL2		2 m	660
WL4		4 m	1020
WL4H		4m, hydraulic	1 210
WL5H		5m, hydraulic	1 450
WL6H		6m, hydraulic	1 860
WL8H		8m, hydraulic	2 360
BALE GRAB			
CHB1T2		1 siłownik hydrauliczny + 4 sprężyny	785
CHB2		2 siłowniki hydrauliczne	820

MODEL	MACHINE	SPECIFICATION	PRICE EURO
WOOD GRAB			
CHD		2 hydraulic cylinders	1 400
CHDXL		XL 2 hydraulic cylinders	2 300
BRANCH GRABBER			
CHG		1 hydraulic cylinder	1 160
GRAPPLE FOR PALLET FORKS			
PAZW		ISO2/ISO3	800
PALLET FORKS			
WPAL		Lifting capacity 2 t Forks 80x40x1200 mm	642

MODEL	MACHINE	SPECIFICATION	PRICE EURO
BALE FORKS FOR LOADERS			
WBEL		2 X tooth 880 mm	250
BALE FORKS - 3 POINT HITCH			
WBELTUZ		2 X tooth 880 mm	220
HYDRAULIC SCRAPER			
ZH200		2 m	1 020
ZH220		2,2 m	1 090
ZH240		2,4 m	1 150
ZH260		2,6 m	1 200
LAND LEVELLER			
NIW15		1,5 X 1,2 m	657
NIW18		1,8 x 1,2 m	700
NIW2		2 x 1,2 m	740
NIW22		2,2 x 1,2 m	780
NIW25		2,5 x 1,2 m	820
EURO MOUNT ADAPTER - FOR A FORK LIFT			
AWE		Euromount 2 hydr. Cylinders	1 110

MODEL	MACHINE	SPECIFICATION	PRICE EURO
FORK LIFT SHOVEL - STANDARD			
LW11S		1m/1hydr.cylinders/0,33m2	930
LW121S		1,2m/1hydr.cylinders/0,39m2	1 000
LW151S		1,5m/1hydr.cylinders/0,49m3	1 130
LW152S		1,5m/2hydr.cylinders/0,49m3	1 320
LW181S		1,8/1hydr.cylinders0,59m3	1 270
LW182S		1,8/2hydr.cylinders/0,59m3	1 440
LW21S		2m/1hydr.cylinders/0,66m3	1 330
LW22S		2m/2hydr.cylinders/0,66m3	1 470
FORK LIFT SHOVEL - HIGH CAPACITY			
LW1P		1m3/2hydr.cylinders	1 640
LW15P		1,5m3/2hydr.cylinders	1 950
LW2P		2m3/2hydr.cylinders	2 290
UNIVERSAL SHOVEL			
	Model 1	MODEL 1	MODEL 2
L12E		490	530
L14E		561	610
L15E		620	660
L16E		670	720
L18E		720	760
L2E		780	830
L22E		880	920
L24E		940	980
L25E		970	1 020
CAPACITY SHOVEL			
LP1		1 m3	1 130
LP15		1,5 m3	1 420
LP2		2 m3	1 670
LP25		2,5 m3	1 870
LP3		3 m3	2 060
LP35		3,5 m3	2 340
OPEN WORK SPOON/SHOVEL			
LA180		0,60 m3	1 360
LA200		0,66 m3	1 400
LA220		0,72 m3	1500
LA240		0,82 m3	1 570
LA260		1,0 m3	1 670

MODEL	MACHINE	SPECIFICATION	PRICE EURO
MANURE FORKS			
WO12		1,2 m	530
WO14		1,4 m	570
WO15		1,5 m	620
WO16		1,6 m	650
WO18		1,8 m	700
WO2		2 m	750
WO22		2,2 m	780
WO24		2,4 m	880
FORKS WITH GRAPPLE - FORGED SPIKES 680mm/880mm			
K12		1,2 m	1 130
K14		1,4 m	1 250
K15		1,5 m	1 270
K16		1,6 m	1 300
K18		1,8 m	1 370
K2		2 m	1 450
K22		2,2 m	1 520
K24		2,4 m	1 620
SHOVEL WITH FORGED SPIKES 680mm			
SZK12		1,2 m	1 150
SZK14		1,4 m	1 270
SZK15		1,5 m	1 297
SZK16		1,6 m	1 320
SZK18		1,8 m	1 390
SZK2		2 m	1 490
SZK22		2,2 m	1 570
SZK24		2,4 m	1 670
SHOVEL WITH FORGED SPIKE XL 680mm			
SZKXL18		1,8 m	1 650
SZKXL2		2,0 m	1 760
SZKXL22		2,2 m	1 880
SZKXL24		2,4 m	1 980

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SHOVEL WITH STEEL FORKS			
SZKZP16		1,6 m	1 640
SZKZP18		1,8 m	1 750
SZKZP2		2,0 m	1 870
SZKZP22		2,2 m	2 130
SZKZP24		2,4 m	2 250
SHOVEL WITH STEEL FORKS - XL			
SZKZPXL18		1,8 m	2 040
SZKZPXL2		2,0 m	2 100
SZKZPXL22		2,2 m	2 370
SZKZPXL24		2,4 m	2 490
SHOVEL WITH STEEL FORKS MAX			
SZKZPM16		1,6 m	1 760
SZKZPM18		1,8 m	1 870
SZKZPM2		2,0 m	1 990
SZKZPM22		2,2 m	2 250
SZKZPM24		2,4 m	2 370
SHOVEL WITH STEEL FORKS MAX - XL			
SZKZPXL18		1,8 m	2 270
SZKZPXL2		2,0 m	2 350
SZKZPXL22		2,2 m	2 610
SZKZPXL24		2,4 m	2 730

MODEL	MACHINE	SPECIFICATION	PRICE EURO
TREE TRANSPLANTER PD1			
PD1		WEIGHT: 1 000 KG	10 238
TREE TRANSPLANTER PD2			
PD2		WEIGHT: 700 KG	9 050
TREE TRANSPLANTER PD MINI			
PD MINI		- INCLUDE PRICE: (SHOVELS 40,32,25,20 CM) * 2 CUTTING KNIVES	7 860

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SNOW PLOW - V SHAPE - MODEL 2			
PS24M2/PS22M1		2,4 m / 2,6 m	3 570/3 650
PS28M2		2,8 m	3 760
PS30M2		3,0 m	3 870
PS33M2		3,3 m	4 050
STANDARD EQUIPMENT: Ruber blades with a fabric reinforcement Hydraulic cylinders Blade amortization - springs Ground copy frame Led lights		ADDITIONAL EQUIPMENT: Support wheels or slides- 220 Euro Side Polyurethane protectors - 350 Euro Steel blade HB500 - 120/m Euro Polyurethane blade- 160/m Euro Hydroaccumulators - 350 Euro	
SNOW PLOW - V SHAPE - MODEL 1			
PS2M1/PS22M1		2 m/ 2,2 m	3 220/3 300
PS24M1/PS26M1		2,4 m/2,6 m	3 370/3 450
PS28M1		2,8 m	3 500
PS30M1		3,0 m	3 620
PS33M1		3,3 m	3 790
STANDARD EQUIPMENT: Ruber blades with a fabric reinforcement Hydraulic cylinders Blade amortization - springs Ground copy frame Led lights		ADDITIONAL EQUIPMENT: Support wheels or slides - 220 Euro Side polyurethane protectors - 350 Euro Steel blade HB500 - 120/m Euro Polyurethane blade - 160/m Euro Hydroaccumulators - 350 Euro	
SNOW PLOW - V SHAPE - FOR SMALL TRACTORS			
PS147M		1,47 m	2 080
PS2M		2 m	2 200
PS22M		2,2 m	2 300
STANDARD EQUIPMENT: Ruber blades with a fabric reinforcement Hydraulic cylinders Blade amortization - springs Ground copy frame Led lights		ADDITIONAL EQUIPMENT: Support wheels or slides - 220 Euro Side polyurethane protectors - 350 Euro Steel blade HB500 - 120/m Euro Polyurethane blade - 160/m Euro Hydroaccumulators - 350 Euro	

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SNOW PLOW - F TYPE - REINFORCED			
PKF2/PKF22		2 m/ 2,2 m	1 600/1660
PKF24/PKF26		2,4 m/ 2,6 m	1 710/1 740
PKF28		2,8 m	1 780
PKF30		3,0 m	1 900
PKF33		3,3 m	2 010
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement Ground copy frame Led lights		ADDITIONAL EQUIPMENT: 1 hydraulic cylinder - 220 Euro 2 hydraulic cylinder- 410 Euro Blade amortization-springs - 198 Euro Support wheels or slides - 220 Euro Steel Blade HB500 - 120/m Euro Polyurethane Blade - 160/m Euro	
SNOW PLOW - C TYPE - REINFORCED			
PKC2/PKC22		2 m/ 2,2 m	1 520/ 1 570
PKC24/PKC26		2,4 m/ 2,6 m	1 620/ 1 650
PKC28		2,8 m	1 690
PKC30		3,0 m	1 820
PKC33		3,3 m	1 920
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement Ground copy frame Led lights		ADDITIONAL EQUIPMENT: 1 hydraulic cylinder - 220 Euro 2 hydraulic cylinder- 410 Euro Blade amortization-springs - 198 Euro Support wheels or slides - 220 Euro Steel Blade HB500 - 120/m Euro Polyurethane Blade - 160/m Euro	
SNOW PLOW FOR A FORK LIFT			
PWW14		1,4 m	700
PWW16		1,6 m	770
PWW18		1,8 m	840
PWW2		2,0 m	890
PWW22		2,2 m	970
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement		ADDITIONAL EQUIPMENT: 1 hydraulic cylinder - 220 Euro 2 hydraulic cylinder- 410 Euro Steel Blade HB500 - 120/m Euro Polyurethane Blade - 160/m Euro	

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SNOW PLOW - C TYPE LIGHT			
PR14		1,4 m	750
PR16		1,6 m	780
PR18		1,8 m	820
PR2		2,0 m	850
PR22		2,2 m	910
PR24		2,4 m	980
PR25		2,5 m	1 020
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement		ADDITIONAL EQUIPMENT: 1 hydraulic cylinder - 220 Euro Steel Blade HB500 - 120/m Euro Polyurethane Blade - 160/m Euro	
SNOW PLOW - GRADER (3 POINT HITCH)			
PR14		1,4 m	640
PR16		1,6 m	670
PR18		1,8 m	750
PR2		2,0 m	820
PR22		2,2 m	860
PR24		2,4 m	970
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement		ADDITIONAL EQUIPMENT: 1 hydraulic cylinder - 220 Euro 2 hydraulic cylinder- 410 Euro Steel Blade HB500 - 120/m Euro Polyurethane Blade - 160/m Euro	
SNOW PLOW FOR CAR			
PSST14		1,4 m	700
PSST16		1,6 m	770
PSST18		1,8 m	840
PSST20		2,0 m	890
STANDARD EQUIPMENT: Rubber blades with a fabric reinforcement		ADDITIONAL EQUIPMENT: Electric winch - 142 Euro	

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SWEEPER - MODEL ZML			
ZML120		1,2 m	2 540
ZML140		1,4 m	2 620
ZML160		1,6 m	2 695
ZML180		1,8 m	2 830
ZML200		2,0 m	2 890
ZML220		2,2 m	2 990
ZML240		2,4 m	3 060
ADDITIONAL EQUIPMENT:			
Side brush - 805 Euro Waste container - 860 Euro Polypropylene-Steel brush 170/m Euro Sprinkler system - 860 Euro Hydraulic angle regulation - 300 Euro			
SWEEPER MODEL - ZE			
ZE140		1,4 m	2 090
ZE160		1,6 m	2 200
ZE180		1,8 m	2 240
ZE200		2,0 m	2 310
ZE220		2,2 m	2 440
ZE240		2,4 m	2 490
Hydraulic angle regulation - 300 Euro Polypropylene-Steel brush 170/m Euro			
SWEEPER MODEL ZW			
ZW120		1,2 m	2 260
ZW135		1,35 m	2 360
ZW150		1,5 m	2 480
Hydraulic drive - 310 Euro Hydraulic angle regulation - 310 Euro			

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SWEEPER MODEL ZMW			
ZW120		1,2 m	2 965
ZW135		1,35 m	2 980
ZW150		1,5 m	3 050
ADDITIONAL EQUIPMENT: Sparkling system - 960 Euro Hydraulic drive - 310 Euro Hydraulic angle regulation - 310 Euro Side brush - 780 Euro			
SWEEPER MODEL ZS			
ZS120		1,2 m	2 665
ZS140		1,4 m	2 785
ZS160		1,6 m	2 925
ZS180		1,8 m	3 010
ZS200		2,0 m	3 050
ZS220		2,2 m	3 215
ZS240		2,4 m	3 345
SWEEPER MODEL ZL			
ZL150		1,5 m	1 010
ZL200		2,0 m	1 145
ZL250		2,5 m	1 285
ZL300		3,0 m	1 430
SWEEPER MODEL - ZL LONG			
ZL LONG150		1,5 m	1 270
ZL LONG200		2,0 m	1 550
ZL LONG250		2,5 m	1 770
ZL LONG300		3,0 m	1 995

MODEL	MACHINE	SPECIFICATION	PRICE EURO
SAND/SALT DISTRIBUTOR PSS			
PSS160		1,6 m	4 255
PSS200		2,0 m	4 940
PSS240		2,4 m	5 630
SAND/SALT DISTRIBUTOR PSM			
PSM100		1,0 m	2 880
PSM120		1,2 m	3 025
PSM140		1,4 m	3 155
PSM160		1,6 m	3 365
CEMENT/FEED MIXER MT			
MT120		1,2 m	4 610
MT140		1,4 m	4 885
MT160		1,6 m	5 185
MT180		1,8 m	5 610
Drainpipe - 1m - 80 Euro			
CEMENT/FEED MIXER MTP PRO			
MTp180		1,8 m	5 940
MTp200		2,0 m	6 350
MTp220		2,20 m	6 790
Drainpipe - 1m - 80 Euro			
SCREENING DRUM PSB			
PSB250		250 l	4 990
PSB500		500 l	7 330
PSB501		500 l	8 030
PSB-1000		1000 l	12 090

MODEL	MACHINE	SPECIFICATION	PRICE EURO
EXTRACTOR TO THE ROOTS			
ZRK-01		115 kg	585
ZRK-02		160 kg	1 020
LAND LEVELER			
ZGT250		2,5 m	4 115
STAR SCREENING UNIT			
PSG-800		12-18 T 800/600 L Height: 1400 mm Depth: 1045 mm	13 000



ATMP1

ATMP1

DANIEL PASIKOWSKI

LEŚNIEWICE 54
09-500 GOSTYNIN
NIP: 971-046-32-28
BIURO@ATMP.PL
WWW.ATMP.PL